

L Number	Hits	Search Text	DB	Time stamp
-	3496	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock	USPAT; US-PGPUB; IBM_TDB	2004/07/14 11:08
-	0	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) with ((media adj3 control) or MAC)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:49
-	1	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) same ((media adj3 control) or MAC)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:04
-	2	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) same ((media adj3 access) or MAC)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:06
-	80	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) and ((media adj3 access) or MAC)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:07
-	956	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) and (power near3 (consum\$6 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:07
-	990	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) and (power near3 (consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:16
-	44	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) and (power near3 (consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))) and ((media adj3 access) or MAC)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:42
-	13	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) and (power near3 (consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))) and ((media adj3 access) or MAC)) and (csr or (control adj status) or (remot\$4 adj monitor\$4) or RMON)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:16
-	155	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) same (power near3 (consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:16
-	14	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) same (power near3 (consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))) and (csr or (control adj status) or (remot\$4 adj monitor\$4) or RMON)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:16
-	37	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) same (power near3 (consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))) and (csr or (control adj3 register) or (remot\$4 adj monitor\$4) or RMON)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:17

-	34	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) same (power near3 (consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))) and (csr or (control adj2 register) or (remot\$4 adj monitor\$4) or RMON)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:17
-	804	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) with ((interrupt or signal or (detect\$4 adj signal))near4 (enabl\$4 or gated)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:31
-	957	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) same ((interrupt or signal or (detect\$4 adj signal))near4 (enabl\$4 or gated)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:30
-	10	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) with ((interrupt or (detect\$4 adj signal))near4 (enabl\$4 or gated)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:34
-	12	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) with ((interrupt or signal or (detect\$4 adj signal))near4 (enabl\$4 or gated))) same ((program\$5 or read\$4 or writ\$4)with ((gated or enabled)adj2 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:36
-	93	((media adj3 access) or MAC)with (power near3 (dissipati\$3 or consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:47
-	0	((media adj3 access) or MAC)with (power near3 (dissipati\$3 or consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))) and (((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:45
-	14	((media adj3 access) or MAC)with (power near3 (dissipati\$3 or consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))) and (((selecti\$4 or adapt\$6 or control\$4)near6 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:46
-	4	((media adj3 access) or MAC)with (power near3 (dissipati\$3 or consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))) and ((enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:46
-	2	((media adj3 access) or MAC)adj2 component)with (power near3 (dissipati\$3 or consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:49
-	0	((media adj3 access))adj2 component)with (power near3 (dissipati\$3 or consum\$6 or sav\$4 or conserv\$7 or utiliz\$7 or expendi\$6 or usage))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:49
-	223	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) with (detect\$4 or interrupt\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:57
-	0	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) with (detect\$4 or interrupt\$4)) same (enabl\$4 near4 (register adj6 counter)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:52

-	0	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) with (detect\$4 or interrupt\$4)) same ((enabl\$4 adj clock)near4 (register adj6 counter)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:53
-	0	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) with (detect\$4 or interrupt\$4)) and ((enabl\$4 adj clock)near4 (register adj6 counter)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:53
-	4	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))adj3 clock) with (detect\$4 or interrupt\$4)) and (enabl\$4 near4 (register adj6 counter)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 10:55
-	2	((((clock near3 enabl\$4)near5 (register adj counter))) same (detect\$4 or interrupt\$4))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 11:01
-	7	((clock near3 enabl\$4)near5 (register adj counter))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 11:01
-	1	((clock near3 enabl\$4)near5 (register adj counter))	EPO; JPO; DERWENT	2004/07/14 11:10
-	9	((clock near3 enabl\$4)near5 (register adj6 counter))	EPO; JPO; DERWENT	2004/07/14 11:04
-	1404	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))near3 clock	EPO; JPO; DERWENT	2004/07/14 11:09
-	8279	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))near3 clock	USPAT; US-PGPUB; IBM_TDB	2004/07/14 11:09
-	0	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))near3 clock) and ((clock near3 enabl\$4)near5 (register adj5 counter)))	EPO; JPO; DERWENT	2004/07/14 11:10
-	1	(((((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))near3 clock) and ((clock near3 enabl\$4)near5 (register near4 counter)))	EPO; JPO; DERWENT	2004/07/14 11:11
-	8	((selecti\$4 or adapt\$6 or control\$4)near4 (enabl\$4 or appl\$5 or disabl\$4 or remov\$5))near3 clock) and ((clock near3 enabl\$4)near5 (register near4 counter))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 13:45
-	1	5754833.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/14 13:35
-	1	5754883.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/14 13:35
-	19943	713/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:24
-	39	713/\$.ccls. and ((power near3 (conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure))same (mac or (media adj3 component)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:52
-	9	(713/\$.ccls. and ((power near3 (conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure))same (mac or (media adj3 component)))or (ethernet adj4 transceiver))) and ((disabl\$4 or gat\$4 or suspend\$4 or remov\$4)near3 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:25
-	1	(713/\$.ccls. and ((power near3 (conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure))same (mac or (media adj3 component)))or (ethernet adj4 transceiver))) and (select\$5 near4((disabl\$4 or gat\$4 or suspend\$4 or remov\$4)near3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:50
-	274	713/\$.ccls.	EPO; JPO; DERWENT	2004/07/14 14:24

-	0	713/\$.ccls. and ((power near3 (conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure))same (mac or (media adj3 component)))	EPO; JPO; DERWENT	2004/07/14 14:24
-	3	713/\$.ccls. and ((disabl\$4 or gat\$4 or suspend\$4 or remov\$4)near3 clock)	EPO; JPO; DERWENT	2004/07/14 14:25
-	48	713/\$.ccls. and ((power near3 (control\$4 or conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure))same (mac or (media adj3 component)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:31
-	56	713/\$.ccls. and ((power near3 (conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure))same (mac or (media adj3 component))or (ethernet adj4 transceiver))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:31
-	136	713/\$.ccls. and (select\$5 near4((disabl\$4 or gat\$4 or suspend\$4 or remov\$4)near3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:50
-	110	(713/\$.ccls. and (select\$5 near4((disabl\$4 or gat\$4 or suspend\$4 or remov\$4)near3 clock))) and (select\$5 near4((enabl\$4 or gat\$4 or suppl\$4 or input\$4)near3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:51
-	93	((713/\$.ccls. and (select\$5 near4((disabl\$4 or gat\$4 or suspend\$4 or remov\$4)near3 clock))) and (select\$5 near4((enabl\$4 or gat\$4 or suppl\$4 or input\$4)near3 clock))) and (detect\$4 or interrupt\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:51
-	67	((713/\$.ccls. and (select\$5 near4((disabl\$4 or gat\$4 or suspend\$4 or remov\$4)near3 clock))) and (select\$5 near4((enabl\$4 or gat\$4 or suppl\$4 or input\$4)near3 clock))) and (detect\$4 or interrupt\$4) and ((power near3 (conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:59
-	17	((713/\$.ccls. and (select\$5 near4((disabl\$4 or gat\$4 or suspend\$4 or remov\$4)near3 clock))) and (select\$5 near4((enabl\$4 or gat\$4 or suppl\$4 or input\$4)near3 clock))) and (detect\$4 or interrupt\$4) and ((media adj control\$4)or (network\$ adj interface) or ethernet)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:53
-	17	((713/\$.ccls. and (select\$5 near4((disabl\$4 or gat\$4 or suspend\$4 or remov\$4)near3 clock))) and (select\$5 near4((enabl\$4 or gat\$4 or suppl\$4 or input\$4)near3 clock))) and (detect\$4 or interrupt\$4) and ((power near3 (conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure))) and ((media adj control\$4)or (network\$ adj interface) or ethernet)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:56
-	69293	((media adj2 control\$4)or (network\$ adj interface) or ethernet)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:25
-	231	((media adj2 control\$4)or (network\$ adj interface) or ethernet)) with (clock near4 (control\$4 or enabl\$4 or disabl\$4 or gat\$4 or suspend\$4 or apply\$4))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:58
-	59	((media adj2 control\$4)or (network\$ adj interface) or ethernet)) with (clock near4 (control\$4 or enabl\$4 or disabl\$4 or gat\$4 or suspend\$4 or apply\$4)) and ((power near3 (conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure)))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:59

-	63	(((((media adj2 control\$4)or (network\$ adj interface) or ethernet))) with (clock near4 (control\$4 or enabl\$4 or disabl\$4 or gat\$4 or suspend\$4 or apply\$4))) and ((power near3 (sav\$4 or conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure))))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:02
-	2	(((((media adj2 control\$4)or (network\$ adj interface) or ethernet))) with (clock near4 (control\$4 or enabl\$4 or disabl\$4 or gat\$4 or suspend\$4 or apply\$4))) and ((power near3 (conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure)))) and (csr or rmon)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:00
-	63	(((((media adj2 control\$4)or (network\$ adj interface) or ethernet))) with (clock near4 (control\$4 or enabl\$4 or disabl\$4 or gat\$4 or suspend\$4 or apply\$4))) and ((power near3 (sav\$4 or conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure)))) and ((power near3 (sav\$4 or conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure))))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:02
-	63	(((((media adj2 control\$4)or (network\$ adj interface) or ethernet))) with (clock near4 (control\$4 or enabl\$4 or disabl\$4 or gat\$4 or suspend\$4 or apply\$4))) and ((power near3 (sav\$4 or conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure)))) and ((power with (sav\$4 or conserv\$6 or dissipat\$5 or consum\$7 or us\$4 or utiliz\$6 or expenditure))))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:21
-	234720	(activity or event or interrupt or need)near6 (detect\$4 or determin\$7 or recogniz\$7)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:23
-	662	((activity or event or interrupt or need)near6 (detect\$4 or determin\$7 or recogniz\$7)) same ((enabl\$4 or activat\$4 or apply\$4 or supply\$4 or gat\$4)near5 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:24
-	795	((activity or event or interrupt or need)near6 (detect\$4 or determin\$7 or recogniz\$7)) same ((enabl\$4 or activat\$4 or apply\$4 or supply\$4 or gat\$4 or disabl\$4 or terminat\$4 or remov\$4 or suspend\$4)near5 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:25
-	100	((activity or event or interrupt or need)near6 (detect\$4 or determin\$7 or recogniz\$7)) same ((enabl\$4 or activat\$4 or apply\$4 or supply\$4 or gat\$4 or disabl\$4 or terminat\$4 or remov\$4 or suspend\$4)near5 clock)) and ((media adj2 control\$4)or (network\$ adj interface) or ethernet)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:26
-	56	((((activity or event or interrupt or need)near6 (detect\$4 or determin\$7 or recogniz\$7)) same ((enabl\$4 or activat\$4 or apply\$4 or supply\$4 or gat\$4 or disabl\$4 or terminat\$4 or remov\$4 or suspend\$4)near5 clock)) and ((media adj2 control\$4)or (network\$ adj interface) or ethernet)) and ((control\$4 adj2 status)or (remot\$4 adj2 monitor\$4) or (register near3 counter))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:28

-	19	(((((activity or event or interrupt or need)near6 (detect\$4 or determin\$7 or recogniz\$7)) same ((enabl\$4 or activat\$4 or apply\$4 or supply\$4 or gat\$4 or disabl\$4 or terminat\$4 or remov\$4 or suspend\$4)near5 clock)) and ((media adj2 control\$4)or (network\$ adj interface) or ethernet)) and (((control\$4 adj2 status)or (remot\$4 adj2 monitor\$4) or (register near3 counter))same clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:29
-	0	(program\$4 near4 (control adj3 register))with ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 13:50
-	6	(program\$4 near4 register) with ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:32
-	0	(program\$4 near6 (control\$4 adj2 register)) with ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 13:57
-	0	(program\$4 near6 (control\$4 adj2 register)) same ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 13:58
-	0	(program\$4 near6 (control\$4 adj2 register)) same ((ethernet or MAC)adj4 controller)	EPO; JPO; DERWENT	2004/07/15 13:58
-	0	((writ\$4 or updat\$4 or upgrad\$4 or program\$4) near6 (control\$4 adj2 register)) same ((ethernet or MAC)adj4 controller)	EPO; JPO; DERWENT	2004/07/15 13:58
-	0	((writ\$4 or updat\$4 or upgrad\$4 or program\$4) near6 (control\$4 adj2 register)) same ((ethernet or MAC)adj4 controller)	EPO; JPO; DERWENT	2004/07/15 13:59
-	2	((writ\$4 or updat\$4 or upgrad\$4 or program\$4) near6 (control\$4 adj2 register)) same ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:02
-	6	((writ\$4 or updat\$4 or upgrad\$4 or program\$4) near6 (control\$4 adj2 register)) with ((ethernet or PCI or network or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:05
-	23	((writ\$4 or updat\$4 or upgrad\$4 or program\$4) near6 (control\$4 adj2 register)) same ((ethernet or PCI or network or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:18
-	0	(embed\$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller)) with ((writ\$4 or updat\$4 or upgrad\$4 or program\$4) near6 (control\$4 adj2 register))	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:06
-	0	(embed\$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller)) same ((writ\$4 or updat\$4 or upgrad\$4 or program\$4) near6 (control\$4 adj2 register))	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:06
-	0	(embed\$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller)) and ((writ\$4 or updat\$4 or upgrad\$4 or program\$4) near6 (control\$4 adj2 register))	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:06
-	16	embed\$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:11
-	2	(embed\$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller))near6 (configur\$7 or program\$6)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:12
-	0	(embed\$6 adj2 ((ethernet or PCI or network or MAC)adj4 controller))near6 (configur\$7 or program\$6)	EPO; JPO; DERWENT	2004/07/15 14:12
-	0	((ethernet or PCI or network or MAC)adj4 controller)with (remot\$4 adj2 monitor\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:19

-	31	((ethernet or PCI or network or MAC)adj4 controller)with (remot\$4 adj2 monitor\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:35
-	0	((read\$4 or access\$4)near3 (remot\$4 adj5 ((motitor\$4 adj counter) or (status adj register)))) with ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:34
-	0	((read\$4 or access\$4)near3 (remot\$4 adj5 ((motitor\$4 adj counter) or (status adj register)))) same ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:35
-	1	((read\$4 or access\$4)near3 (rmon or (remot\$4 adj5 ((motitor\$4 adj counter) or (status adj register)))) same ((ethernet or MAC)adj4 controller)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 14:35
-	15	((ethernet or PCI or network or MAC)adj4 controller)near3 (embed\$4) with (program\$6 or configur\$6)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:37
-	15	((ethernet or PCI or network or MAC)adj4 controller)near3 (embed\$4) with (program\$6 or configur\$6 or upgrad\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:40
-	11	((ethernet or MAC)adj4 controller)near3 (embed\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:40
-	2	((ethernet or MAC)adj4 controller)near3 (embed\$4) with (program\$6 or configur\$6 or upgrad\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:40
-	6	((ethernet or MAC)adj4 controller)near3 (embed\$4) same (program\$6 or configur\$6 or upgrad\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:40
-	13	((ethernet or PCI or network or MAC)adj4 controller)near3 (embed\$4)	EPO; JPO; DERWENT	2004/07/15 16:53
-	98	((ethernet or PCI or network or MAC)adj4 controller)near3 (embed\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/15 16:58
-	677	((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom)with ((media adj access)or MAC or (ethernet adj5 controller))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:12
-	451	((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom)near6 ((media adj access)or MAC or (ethernet adj5 controller))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:12
-	0	((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom)near6 ((media adj access)or MAC or (ethernet adj5 controller))) same ((determin\$4 or detect\$4) adj5 (need or requirement or necessa\$6))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:16
-	0	((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom)with ((media adj access)or MAC or (ethernet adj5 controller))) same (select\$6 near5 ((appl\$6 or enabl\$4 or disabl\$4 or activat\$6 or gat\$4) adj3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:18
-	3	((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom)with ((media adj access)or MAC or (ethernet adj5 controller))) same ((appl\$6 or employ\$5 or enabl\$4 or disabl\$4 or activat\$6 or gat\$4) adj3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:18

-	1	(((((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin\$4 or detect\$4) adj5 (need or requirement or necessa\$6))) and (select\$6 near5 ((appl\$6 or enabl\$4 or disabl\$4 or activat\$6 or gat\$4) adj3 clock))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 11:20
-	51	(((((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin\$4 or detect\$4) adj5 (need or requirement or necessa\$6))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:24
-	0	(((((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin\$4 or detect\$4) adj5 (need or requirement or necessa\$6))) and (((disabl\$4 or remov\$4 or gat\$4 or pull\$6)adj3 clock)with programmed)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:27
-	1	(((((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin\$4 or detect\$4) adj5 (need or requirement or necessa\$6))) and (((disabl\$4 or remov\$4 or gat\$4 or pull\$6)adj3 clock)same programmed)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:06
-	1	(((((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin\$4 or detect\$4) adj5 (need or requirement or necessa\$6))) and (((disabl\$4 or remov\$4 or gat\$4 or pull\$6)adj3 clock)same program\$6)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:24
-	162785	(((((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom or eeprom))with ((media adj access)or component or device or MAC or (ethernet adj5 controller)))	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:24
-	0	(((((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom or eeprom))with ((media adj access)or MAC or (ethernet adj5 controller))) and ((determin\$4 or detect\$4) adj5 (need or requirement or necessa\$6))	EPO; JPO; DERWENT	2004/07/16 13:24
-	145	(((((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eeprom or eeprom))with ((media adj access)or component or device or MAC or (ethernet adj5 controller)))) with ((enabl\$4 or provid\$4 or employ\$4 or gat\$4 or apply\$4 or assert\$4) near3 clock)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:26

-	3	(((((program\$6 or configur\$7 or updat\$4 or upgrad\$4)adj4 (stor\$4 or control or register or component or device or rom or eprom or eeprom))with ((media adj access)or component or device or MAC or (ethernet adj5 controller))))) with ((enabl\$4 or provid\$4 or employ\$4 or gat\$4 or apply\$4 or assert\$4) near3 clock)) and (((disabl\$4 or remov\$4 or gat\$4 or pull\$6 or deassert\$4)near3 clock)with programmed)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 13:31
-	16	((enabl\$4 or disabl\$4 or provi\$6 or reov\$4 or employ\$5 or gat\$4 or appl\$4 or assert\$4 or deassert\$4)near3 clock)with (rmon or csr)	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:28
-	1	6370603.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:11
-	1	5628020.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:13
-	1	5661725.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:12
-	1	5815725.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:13
-	1	5834961.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:13
-	1	6467042.pn.	USPAT; US-PGPUB; IBM_TDB	2004/07/16 14:14
-	1	((enabl\$4 or disabl\$4 or provi\$6 or reov\$4 or employ\$5 or gat\$4 or appl\$4 or assert\$4 or deassert\$4)near3 clock)with (rmon or csr)	EPO; JPO; DERWENT	2004/07/16 14:28